



FICHA TÉCNICA

Biceps

REFERENCIA

UB100A

TIPO

TREN SUPERIOR / XTREME / ANATOMIC

PESO MÁXIMO

ANCHO

ALTO

LARGO

DETALLES

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar covers
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Maximum Painting dust polyester durability
- Fairing that allows to visualize the movement
- Neopreno Take hold in antiallergic and nonskid
- Eccentric levies
- Limitor of route
- Aproximador Liberating or of load
- Easy adjustment of the transmission covers
- Multiple regulations readily Accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Deltoides lateral LATERAL RAISE

REFERENCIA
UB220A

TIPO
TREN SUPERIOR / XTREME / ANATOMIC

PESO MÁXIMO
244 Kg

ANCHO
1220 mm

ALTO
1580 mm

LARGO
1055 mm

DETALLES

16 PLACAS DE 5 KG.

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Press de hombro SHOULDER PRESS

REFERENCIA
UB240A

TIPO
TREN SUPERIOR / XTREME /
ANATOMIC

PESO MÁXIMO
258 Kg

ANCHO
1150 mm

ALTO
1580 mm

LARGO
1750 mm

DETALLES

10 PLACAS DE 5 KG. / 4 PLACAS DE 7,5 KG.

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Press de pecho CHEST PRESS

REFERENCIA
UB140A

TIPO
TREN SUPERIOR / XTREME / ANATOMIC

PESO MÁXIMO
275 Kg

ANCHO
1215 mm

ALTO
1580 mm

LARGO
1445 mm

DETALLES

16 PLACAS DE 7,5 KG.

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Contractora FLY

REFERENCIA
UB160A

TIPO
TREN SUPERIOR / XTREME / ANATOMIC

PESO MÁXIMO
268 Kg

ANCHO
1515 mm

ALTO
1580 mm

LARGO
1485 mm

DETALLES

16 PLACAS DE 5 KG.

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

DORSAL VERTICAL

REFERENCIA
UB130A

TIPO
TREN SUPERIOR / XTREME /
ANATOMIC

PESO MÁXIMO
300 KG

ANCHO
1350 MM

ALTO
1890 MM

LARGO
1360 MM

DETALLES

1 PLACA DE 5KG / 2 PLACAS DE
7,5 KG. / 11 PLACAS DE 10 KG.

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Remo dorsal SEATED ROW

REFERENCIA
UB200A

TIPO
TREN SUPERIOR / XTREME / ANATOMIC

PESO MÁXIMO
260 Kg

ANCHO
1140 mm

ALTO
1580 mm

LARGO
1480 mm

DETALLES

6 PLACAS DE 5 KG. / 10 PLACAS DE 7,5 KG.

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Press triceps

REFERENCIA
UB120A

TIPO
TREN SUPERIOR / XTREME /
ANATOMIC

PESO MÁXIMO
238 Kg

ANCHO
1175 mm

ALTO
1580 mm

LARGO
985 mm

DETALLES

8 PLACAS DE 5KG. / 8 PLACAS DE 7,5
KG.

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Femoral tumbado sin limitador

LYNG LEG CURL

REFERENCIA

LB620A

TIPO

TREN INFERIOR / XTREME / ANATOMIC

PESO MÁXIMO

225 Kg

ANCHO

970 mm

ALTO

1580 mm

LARGO

1730 mm

DETALLES

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Multicadera

REFERENCIA
LB520A

TIPO
TREN INFERIOR / XTREME / ANATOMIC

PESO MÁXIMO
225 Kg

ANCHO
1070 mm

ALTO
1580 mm

LARGO
1100 mm

DETALLES

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximator of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Femoral sentado SEATED LEG CURT

REFERENCIA

LB630A

TIPO

TREN INFERIOR / XTREME / ANATOMIC

PESO MÁXIMO

275 Kg

ANCHO

880 mm

ALTO

1580 mm

LARGO

1470 mm

DETALLES

16 PLACAS DE 5 KG.

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Abductores (Abrir) HIP ABDUCTION

REFERENCIA

LB530A

TIPO

TREN INFERIOR / XTREME / ANATOMIC

PESO MÁXIMO

238 Kg

ANCHO

1190 mm

ALTO

1580 mm

LARGO

1230 mm

DETALLES

16 PLACAS DE 5 KG.

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Adductores (Cerrar) HIPADDUCTION

REFERENCIA
LB540A

TIPO
TREN INFERIOR / XTREME / ANATOMIC

PESO MÁXIMO
238 Kg

ANCHO
1560 mm

ALTO
1580 mm

LARGO
1010 mm

DETALLES

16 PLACAS DE 5 KG.

COMMON SPECIFICATIONS OF MUSCULACIÓN

- ▶ Implied panel with explanatory diagram and muscles
- ▶ Transmission by Kevlar tape
- ▶ Structure with steel tube of 4 mm
- ▶ Tapestry of skai Pitón of HD
- ▶ Painting dust Maxima polyester durability
- ▶ Fairing that allows to visualize the movement
- ▶ Take hold in antiallergic and nonskid neopreno
- ▶ Eccentric levies
- ▶ Limitor of route
- ▶ Liberating or approximador of load
- ▶ Easy adjustment of the transmission tape
- ▶ Multiple regulations readily accessible
- ▶ Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Prensa de glúteos GLUTE PRESS

REFERENCIA
LB510A

TIPO
TREN INFERIOR / XTREME / ANATOMIC

PESO MÁXIMO
190 Kg

ANCHO
840 mm

ALTO
1580 mm

LARGO
1030 mm

DETALLES

12 PLACAS DE 5 KG.

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel

PERSONALIZACIÓN

All the variety of XTREME machinery fitness could be personalziada by means of the election of the upholstery and the painting



FICHA TÉCNICA

Prensa de gemelos RTARD CALF PRESS

REFERENCIA
LB640A

TIPO
TREN INFERIOR / XTREME / ANATOMIC

PESO MÁXIMO
272 Kg

ANCHO
970 mm

ALTO
1580 mm

LARGO
1470 mm

DETALLES

16 PLACAS DE 7,5 KG.

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Prensa sentada de piernas LEG PRESS

REFERENCIA
LB590A

TIPO
TREN INFERIOR / XTREME / ANATOMIC

PESO MÁXIMO
370 Kg

ANCHO
1030 mm

ALTO
1580 mm

LARGO
1900 mm

DETALLES

18 PLACAS DE 10 KG.

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Lumbares BLACK EXTENSION

REFERENCIA
MS320A

TIPO
SECCION MEDIA / XTREME /
ANATOMIC

PESO MÁXIMO
227 Kg

ANCHO
840 mm

ALTO
1580 mm

LARGO
1260 mm

DETALLES

12 PLACAS DE 5 KG.

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Abdominales CURT

REFERENCIA
MS310A

TIPO
SECCION MEDIA / XTREME / ANATOMIC

PESO MÁXIMO
173 Kg

ANCHO
1070 mm

ALTO
1580 mm

LARGO
1175 mm

DETALLES

12 PLACAS DE 5 KG.

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



FICHA TÉCNICA

Cruce de poleas 4 puestos.

REFERENCIA
MU830A

TIPO
MULTIPOLEAS / XTREME / ANATOMIC

PESO MÁXIMO
380 Kg

ANCHO
1660 mm

ALTO
2300 mm

LARGO
1860 mm

DETALLES

16 PLACAS DE 5 KG.
10 PLACAS DE 5 KG
20 PLACAS DE 5 KG
8 PLACAS DE 5 KG+8 PLACAS DE 7,5 KG

COMMON SPECIFICATIONS OF MUSCULACIÓN

- Implied panel with explanatory diagram and muscles
- Transmission by Kevlar tape
- Structure with steel tube of 4 mm
- Tapestry of skai Pitón of HD
- Painting dust Maxima polyester durability
- Fairing that allows to visualize the movement
- Take hold in antiallergic and nonskid neopreno
- Eccentric levies
- Limitor of route
- Liberating or approximador of load
- Easy adjustment of the transmission tape
- Multiple regulations readily accessible
- Calibrated, movable mechanized steel pieces ST52 and bevel



PRICELIST 2010

ANATOMIC LINE

UPPER BODY EQUIPMENT

EUROS

| | | | |
|--------|------------------------------|-------------------|------------|
| UB 100 | Biceps | Biceps | 2.311,95 € |
| UB 110 | Triceps | Triceps | 2.311,95 € |
| UB 120 | Press de triceps | Triceps Press | 2.425,68 € |
| UB 130 | Dorsal vertical | Dorsal Vertical | 2.258,98 € |
| UB 140 | Press de pecho | Chest Press | 2.442,82 € |
| UB 160 | Contractora | Fly | 2.706,10 € |
| UB 180 | Polea dorsal alta | Lat Pulldown | 2.048,66 € |
| UB 190 | Polea dorsal baja | Low Lat Row | 2.072,03 € |
| UB 200 | Remo dorsal | Seated Row | 2.431,91 € |
| UB 210 | Pullover | Pullover | 3.034,83 € |
| UB 220 | Deltoides lateral | Lateral Raise | 2.357,13 € |
| UB 240 | Press de hombro | Shoulder Press | 2.483,32 € |
| UB 250 | Dominadas y fondos asistidos | Assisted Chin/Dip | 2.311,95 € |

EQUIPMENT FOR THE MID SECTION

| | | | |
|--------|------------------|-----------------|------------|
| MS 310 | Abdominales | Abdominals Curl | 2.311,95 € |
| MS 320 | Lumbares | Back Extension | 2.170,18 € |
| MS 330 | Giros de cintura | Rotary Torso | 2.408,54 € |

EQUIPMENT FOR THE LOWER BODY

| | | | |
|----------|--------------------------------|---------------------------------|------------|
| LB 510 | Prensa de glúteos | Glute Press | 2.165,51 € |
| LB 520 | Multicadera | Multi Hip | 2.372,71 € |
| LB 530 | Abductores (Abrir) | Hip Abduction | 2.469,30 € |
| LB 540 | Adductores (Cerrar) | Hip Adduction | 2.593,94 € |
| LB 580 | Cuádriceps sin limitador | Leg Extension | 2.215,36 € |
| LB 580 L | Cuádriceps con limitador | Leg Extension with ROM limiter | 2.625,10 € |
| LB 590 | Prensa sentada de piernas | Seated Leg Press | 3.608,14 € |
| LB 620 | Femoral tumbado sin limitador | Lying Leg Curl | 2.215,36 € |
| LB 620 L | Femoral tumbado con limitador | Lying Leg Curl with ROM limiter | 2.625,10 € |
| LB 630 | Femoral sentado | Seated Leg Curl | 2.506,69 € |
| LB 640 | Prensa de gemelos | Rotary Calf Press | 2.226,27 € |
| LB 660 | Máquina de Gemelo / Sentadilla | | 2.569,01 € |

MULTISTATION

| | | | |
|--------|--|-------------------|-------------|
| MU 830 | Cruce de poleas 4 puestos | Cable Crossover 4 | 6.066,12 € |
| MU 840 | Torre de 4 puestos | Multistation 4 | 4.990,92 € |
| MU 850 | Cruce de poleas 6 puestos | Cable Crossover 6 | 7.326,35 € |
| MU 860 | Cruce de poleas 9 puestos | Cable Crossover 9 | 10.725,31 € |
| MU 870 | Cruce de poleas | Cable Crossover | 2.866,57 € |
| MU 880 | Cruce de poleas 9 puestos con fondos y dominadas asistidas | | 11.392,10 € |

CARGA DE DISCOS

| | | | |
|--------|----------------------------|-------------|------------|
| CD 120 | Prensa inclinada | Squat Press | 2.168,62 € |
| CD 130 | Jaca | Hack Squat | 2.168,62 € |
| CD 110 | Multipower contrapesos | Multipower | 2.140,58 € |
| CD 100 | Remo en punta apoyo pecho | T-Bar Row | 953,45 € |
| CD 140 | Multipower sin contrapesos | Multipower | 1.956,75 € |

MAQUINAS DE PALANCA

| | | | |
|--------|-----------------------|------------------|------------|
| CD 220 | Deltoides convergente | Lateral Raise | 1.363,18 € |
| CD 230 | Remo apoyo pecho | Row | 1.363,18 € |
| CD 240 | Pecho convergente | Dear Delt | 1.363,18 € |
| CD 250 | Biceps convergente | Biceps | 1.363,18 € |
| CD 260 | Hombro convergente | Shoulder Press | 1.363,18 € |
| CD 270 | Pecho inclinado | Advanced Incline | 1.363,18 € |
| CD 280 | Triceps convergente | Arm Extension | 1.363,18 € |

FREE WEIGHT

| | | | |
|-------|---|---------------------------|----------|
| CL 09 | Flexión de caderas y fondos con dominadas. | Leg Raise/Dip/Chin up | 673,02 € |
| CL 10 | Banco de hiperextensiones recto | Back Extension | 602,92 € |
| CL 11 | Banco de hiperextensiones 45º | 45º Back Extension | 528,13 € |
| CL 12 | Banco predicador | Scott Curl | 683,93 € |
| CL 13 | Gemelo sentado de discos | Seated Calf | 640,31 € |
| CL 14 | Tabla de abdominales simple con ruedas | Abdominal Board | 495,42 € |
| CL 15 | Soporte barras montadas | Bar Support | 528,45 € |
| CL 16 | Flexión de caderas y fondos | Leg Raise / Dip | 627,84 € |
| CL 17 | Soporte de barras vertical | Bar Support vertical | 411,29 € |
| CL 18 | Press de banca olímpico | Bench Press | 576,43 € |
| CL 19 | Press de banca inclinado olímpico | Olympic Incline Press | 654,33 € |
| CL 20 | Press de banca declinado olímpico | Olympic Decline Press | 654,33 € |
| CL 21 | Press tras nuca olímpico | Olympic Military Bench | 592,01 € |
| CL 22 | Banco horizontal 30 cm | Flat Bench 30 cm | 289,77 € |
| CL 23 | Banco horizontal 40 cm | Flat Bench 40 cm | 316,26 € |
| CL 24 | Banco horizontal 50 cm | Flat Bench 50 cm | 336,51 € |
| CL 25 | Banco regulable asiento / respaldo | Adjustable Incline Bench | 576,43 € |
| CL 26 | Banco de abdominales regulable | Ajustable Abdominal Bench | 680,81 € |
| CL 27 | Banco crunch | Crunch Bench | 654,33 € |
| CL 28 | Soporte sentadilla | Squat Rack | 553,06 € |
| CL 29 | Soporte barras y discos | Weight Bar Tree | 465,82 € |
| CL 58 | Barra olímpica 2.20 mts | | 152,00 € |
| CL 66 | Disco de goma de 28 mm con agarres. Color negro | 5,00 € kg | |

Preços acresce iva a taxa legal em vigor. Transporte e montagem incluido para Portugal Continental.